

HY-1130 全自动平面贴标机  
Flat Surface Automatic Labeling Machine



※ 经典应用 Typical Applications:



纸箱 Paper Box




塑料盒 Plastic Box



文件夹 Folder



快递袋 Express Bag



书本 Book

东莞市华佑自动化科技有限公司

Dongguan Huayu Automation Technology Co., Ltd.

Tel :+86 769 8298 7188

Fax:+86 769 8298 5899

E-mail: sales@hyoauto.com

Web: www.hyoauto.com

广东省东莞市常平镇常横路 168 号 A 栋

A Building, 168# Changheng Road, Changping Town, Dongguan City, Guangdong Province, China 523562



## HY-1130 全自动平面贴标机 Flat Surface Automatic Labeling Machine

### ※ 用途特点 Machine Characteristics:

- 适用于在各种物品的上平面贴标签或不干胶膜，产品宽度 30mm~350mm，如书本、文件夹、盒子、纸箱等。更换覆标机构可适用于不平整表面贴标。广泛应用于大件产品的平面贴标，规格范围大的平面类物体贴标。可满足的产品平面贴标和不干胶膜；
- 贴标精度高，细分步进电机或伺服电机驱动送标，送标精准；标带绕行纠偏机构设计，保证标签牵引过程中不左右偏移；偏心轮技术应用于牵引机构，牵引标签不打滑，确保出标精准；
- 坚固耐用，采用三杆调整机构，充分利用三角形的稳定性，整机坚实耐用；
- 稳定性高，丰炜 PLC+维控触摸屏+松下/力科针形电眼+劳易测/蒂斯标签电眼组成的高级电控系统，支持设备 7×24 小时运转。
- Suitable for labeling or self-adhesive film on the upper surface of various items, product width 30mm ~ 350mm, such as books, folders, boxes, cartons, etc. The replacement of the labeling mechanism is suitable for labeling on uneven surfaces. Widely used for flat labeling of large products and flat objects with a wide range of specifications.
- High labeling precision, subdivided stepping motor or servo motor drive label delivery, accurate label delivery; label tape deflection correction mechanism design to ensure that the label does not deviate from left to right during the traction process; eccentric wheel technology is applied to the traction mechanism, so that the label does not slip, to ensure accurate bidding;
- Rugged and durable, adopting a three-bar adjustment mechanism to make full use of the stability of the triangle, the whole machine is solid and durable;
- High stability, advanced electronic control system composed of Fengwei PLC+ Wecon touch screen+ Panasonic/RIKO needle-shaped electric eye + Leuze/Tiss label electric eye, supporting 7×24 hours operation of the equipment.

东莞市华佑自动化科技有限公司

Dongguan Huayu Automation Technology Co., Ltd.

Tel :+86 769 8298 7188

Fax:+86 769 8298 5899

E-mail: sales@hyooauto.com

Web: www.hyooauto.com

广东省东莞市常平镇常横路 168 号 A 栋

A Building, 168# Changheng Road, Changping Town, Dongguan City, Guangdong Province, China 523562



## HY-1130 全自动平面贴标机 Flat Surface Automatic Labeling Machine

### ※ 配置明细 Configuration Details:

电气名称 Electrical Name	数量 Quantity	型号规格 Model Brand	电气名称 Electrical Name	数量 Quantity	型号规格 Model Brand
测标电眼 Standard Measuring Electric Eye	1	SICK	牵引电机 Traction Motor	1	Leadshine
PLC	1	Vigor	牵引电机驱动器 Traction Motor Driver	1	Leadshine
测物电眼 Measuring Object Electric Eye	1	RIKO	人机界面 Man-Machine Interface	1	WECON/Vigor
输送电机 Conveying Motor	1	OPG	输送电机调速器 Conveying Motor Speed Controller	1	OPG
贴标速度 Labeling Speed	30-150p/min				
贴标精度 Labeling Accuracy	±1mm (不含产品及标签误差) ±1mm (excluding product and label errors)				
适用产品范围 Applicable Product Range	L 40mm~400mm W 40mm~200mm H 0.2mm~150mm				
适用标签范围 Applicable Label Range	(标签底纸) W20-160mm,L6-150mm (label bottom paper) W20-160mm,L6-150mm				
工作电压 Working Voltage	220V 50Hz				
外形尺寸 Dimensions	L*W*H: 2000×900×1400mm				

注意: 规格如有更改, 恕不另行通知, 请在订购前与我司联系。

Notes: Specifications are subject to change without further notification, please contact with Huayu Automation before ordering.

东莞市华佑自动化科技有限公司

Dongguan Huayu Automation Technology Co., Ltd.

Tel :+86 769 8298 7188

Fax:+86 769 8298 5899

E-mail: sales@hyooauto.com

Web: www.hyooauto.com

广东省东莞市常平镇常横路 168 号 A 栋

A Building, 168# Changheng Road, Changping Town, Dongguan City, Guangdong Province, China 523562

